

Do children's brains recover better?

Attention outcomes after early brain lesions

Megan Spencer-Smith



THE UNIVERSITY OF
MELBOURNE




ACCNS

Australian Centre for Child Neuropsychology Studies

The **Royal Children's**
Hospital Melbourne 

Brain development involves intricate processes



Sarah J Knight (2010) PhD thesis

Spencer-Smith & Anderson (2009) Developmental Neurorehabilitation

Plasticity in the developing brain

- Flexibility to adjust to developmental, environmental, traumatic experiences
- Neural plasticity - brain microstructure and macrostructure
 - healthy development* – adjust to experience through strength of neural connections or alterations of neural networks
 - brain injury* – neural repair through formation of new connections or generation of new neurons
- Functional plasticity – behaviour
 - healthy development* – skill development and acquisition
 - brain injury* – recovery of some skills through compensatory mechanisms, development or acquisition of new skills


Is plasticity an advantage for early brain insult?

Critical periods in development

- Limited window of increased plasticity
- *Healthy development* – experience instructs neural networks to process or represent information in an adaptive way
- *Damage* – overlaps with normal development and associated with vulnerability
- *Recovery* – brain has the potential to recover from disruption

Critical periods in neurological development


- Systematic studies of focal brain injuries in rats
- Brain injury at any time associated with severe impairments in 'species typical behaviours'
- Neurological processes occurring at the time of insult are tightly linked to cognitive outcomes




Do these findings translate to humans?

Child studies show timing is important

General intelligence after stroke Pavlovic et al. (2006) n = 33



Executive skills after focal frontal lesion Jacobs et al. (2007) n = 39



Limitations of previous child research

- Report on a restricted range of child development
e.g. examine single brain conditions that do not cover the spectrum of development such as traumatic brain injury
- Small samples
- Age bands collapse across neurological processes
- Variability in injury-related factors
e.g. injury location, size, type, time since injury, presence of seizures, medication

**There are gaps in our knowledge about
timing of brain lesion**

Does Timing of Brain Lesion Have an Impact on Children's Attention?

Megan Spencer-Smith, Peter Anderson, and Rani Jacobs
Murdoch Childrens Research Institute, Melbourne, Australia
University of Melbourne, Melbourne, Australia

Lee Coleman
Royal Children's Hospital, Melbourne, Australia

Brian Long
Murdoch Childrens Research Institute, Melbourne, Australia
University of Melbourne, Melbourne, Australia


Vicki Anderson
Murdoch Childrens Research Institute, Melbourne, Australia
University of Melbourne, Melbourne, Australia
Royal Children's Hospital, Melbourne, Australia

This study examined developmental timing of brain lesion effects on children's attention skills. The sample of 138 children, 10–16 years at assessment, were grouped based on developmental timing of brain lesion: (1) Congenital; (2) Perinatal; (3) Infancy; (4) Preschool; (5) Middle Childhood; (6) Late Childhood. Children with lesions in infancy or earlier demonstrated global attention problems, while children with lesions in middle childhood performed closer to normal expectations. This pattern of results was particularly evident for encoding and shifting attention. Findings highlight vulnerability of the immature brain to lesions and identify critical periods in development for attention skills.


Attention

- Underpinned by a distributed network involving anterior and posterior cerebral regions, subcortical structures
 - particularly vulnerable to brain injury
- Attention problems are common in children with brain lesions
 - Basic processes* e.g. select, sustain
 - Attentional control* e.g. shift, working memory, response inhibition
- Important for the development of other cognitive skills and for achieving goals of childhood e.g. learning new skills and knowledge
 - attention problems are likely to have long-term consequences

Mirsky model of attention




Posner network model of attention



Sample

- 138 children (55% males)
- 10 – 16 yr
- Focal lesion on MRI sustained > 1 yr prior
- Different mechanisms of brain lesion
e.g. developmental, infective, ischaemic, neuroplastic, traumatic
- Children grouped by developmental timing of brain lesion




Sample characteristics


	Congenital	Perinatal	Infancy	Preschool	Middle Childhood	Late Childhood
n	33	25	19	17	28	16
Males	55%	60%	53%	59%	54%	50%
Age at test* <i>M</i>	13.0	13.4	12.2	12.5	12.9	14.3
Social risk <i>M</i>	2.9	2.5	2.5	2.3	3.0	3.2
Right-handed	82%	75%	75%	82%	82%	87%
General IQ* <i>M</i>	82.7	84.5	76.4	94.1	96.5	95.0
Seizures**	66%	44%	63%	12%	41%	33%

* $p < .05$ ** $p < .001$


Brain regions



Lesion laterality



Lesion extent




Attention measures


Process		Test	Variable <i>M 10, SD 3</i>
Select	attend to target information embedded in distracter information	Sky Search TEA-Ch	correct targets
Sustain	maintain attention for prolonged periods of time	Score! TEA-Ch	correct trials
Shift	shift attention from one aspect of a task to another	Trail Making Test D-KEFS	errors
Working memory	mentally manipulate information in mind for a short time	Letter Number Seq WISC-IV	correct trials

Attention outcomes


Select




Sustain



Shift *




Working Memory *




■ Impairment rates for attention


A Selective




B Sustain



C Shift *




D Working memory **



Conclusions

- Developmental stage at injury has implications for attention



- Outcomes for **select, sustain** and **shift, working memory** vary by developmental timing of brain insult

→ **What factors predict outcome for age at lesion groups?**


Predictors of attention outcomes in children with focal brain lesions

Megan Spencer-Smith, Katherine Lee,
Peter Anderson, Rani Jacobs, Lee Coleman, Vicki Anderson

**slides not included here
because the manuscript is in submission**

Summary

- The developing brain is particularly vulnerable to brain lesion
- Larger lesion volume and seizures are associated with poorest attention outcomes
- What is the formula for understanding variability in outcomes after a brain lesion?



Neuropsychology

Prof Vicki Anderson

A/Prof Peter Anderson

Dr Rani Jacobs

Biostatistics

Dr Katherine Lee

Neurology

Dr Richard Leventer

Neuroradiology

Dr Lee Coleman